15	3	<pre>( predefin\$4 or predetermin\$4)same select\$5 near4 ((ascii or text adj</pre>	USPAT; US-PGPUB;	2004/11/01 14:0	09
		strings) near3 (icon\$1 or button\$1 or graphic\$4))	EPO; JPO; DERWENT;		
			IBM_TDB		
18	1	( predefin\$4 or predetermin\$4)near3	USPAT;	2004/11/01 14:0	09
		select\$5 near4 ((ascii or text adj strings) near3 (icon\$1 or button\$1 or	US-PGPUB; EPO; JPO;		
		graphic\$4))	DERWENT;		
,			IBM_TDB		
17	1	( predefin\$4 or predetermin\$4)near5	USPAT;	2004/11/01 14:0	09
		select\$5 near4 ((ascii or text adj strings) near3 (icon\$1 or button\$1 or	US-PGPUB; EPO; JPO;		
		graphic\$4))	DERWENT;		
		944F-1-0, 1, /	IBM_TDB		
16	1	( predefin\$4 or predetermin\$4)near10	USPAT;	2004/11/01 14:	10
		select\$5 near4 ((ascii or text adj	US-PGPUB; EPO; JPO;		
		strings) near3 (icon\$1 or button\$1 or graphic\$4))	DERWENT;		
		92ap207 1//	IBM TDB		
19	2	( predetermin\$4 or predefin\$4) near5	USPĀT;	2004/11/01 14:	11
		select\$5 near8 ((ascii or text adj	US-PGPUB; EPO; JPO;		
		strings) near3 (icon\$1 or button\$1 or graphic\$4)) and (display\$4 or visual\$9 or	DERWENT;		ı
i		view\$3)	IBM TDB		
20	2	( predetermin\$4 or predefin\$4) near5	USPĀT;	2004/11/01 14:	11
		select\$5 near5 ((ascii or text adj	US-PGPUB;		
		strings) near3 (icon\$1 or button\$1 or graphic\$4)) and (display\$4 or visual\$9 or	EPO; JPO; DERWENT;		
		view\$3)	IBM TDB		
21	2	( predetermin\$4 or predefin\$4) near5	USPĀT;	2004/11/01 14:	11
		select\$5 near5 ((ascii or text adj	US-PGPUB; EPO; JPO;		
		strings) near3 (icon\$1 or button\$1 or graphic\$4))	DERWENT;		
		9141104 177	IBM_TDB		
22	2	( predetermin\$4 or predefin\$4) near8	USPĀT;	2004/11/01 14:	11
		select\$5 near5 ((ascii or text adj	US-PGPUB; EPO; JPO;		
		strings) near3 (icon\$1 or button\$1 or graphic\$4))	DERWENT;		
		32ap.1207 1,77	IBM TDB		
23	3	( predetermin\$4 or predefin\$4) near8	USPAT;	2004/11/01 14:	12
		select\$5 near9 ((ascii or text adj strings) near3 (icon\$1 or button\$1 or	US-PGPUB; EPO; JPO;		
		graphic\$4))	DERWENT;		
		92ap204 1//	IBM TDB		
24	3	( predetermin\$4 or predefin\$4) near18	USPAT;	2004/11/01 14:	12
		select\$5 near19 ((ascii or text adj strings) near3 (icon\$1 or button\$1 or	US-PGPUB; EPO; JPO;		
		graphic\$4))	DERWENT;		
			IBM_TDB		
25	5	( predetermin\$4 or predefin\$4) near18	USPAT;	2004/11/01 14:	12
		select\$5 near19 ((ascii or text adj strings) near5 (icon\$1 or button\$1 or	US-PGPUB; EPO; JPO;		
		graphic\$4))	DERWENT;		
			IBM_TDB		
26 27	7	"6366914" and (text or string\$1 or ascii) "6366914" and (text or string\$1 or	USPAT USPAT	2004/11/01 14:3	
41	6	ascii)same (icon\$1 or button\$1 or	USEAL	2004/11/01 14:	22
		graphic\$4)			. [
28	6		USPAT	2004/11/01 14:3	35
		ascii)near7 (icon\$1 or button\$1 or graphic\$4)			
29	11284	network\$1 and (text or string\$1 or	USPAT	2004/11/01 14:3	36
		ascii)near7 (icon\$1 or button\$1 or			
	07.6	graphic\$4)		2004/11/01 14:	ا ء د
30	276	network\$1 and snmp and (text or string\$1 or ascii)near7 (icon\$1 or button\$1 or	USPAT	2004/11/01 14:	ا ەد
1		graphic\$4)			
31	293	network\$1 and (openview or snmp) and (text	USPAT	2004/11/01 14:3	36
	1	or string\$1 or ascii)near7 (icon\$1 or			
	<u> </u>	button\$1 or graphic\$4)	<u> </u>	<u> </u>	

32	27	network\$1 and (openview or snmp) and	USPAT	2004/11/01 14:37
-		((text or string\$1 or ascii)near7 (icon\$1		
		or button\$1 or graphic\$4)) near5 select\$5		
33	0	network\$1 and (openview or snmp) and	USPAT	2004/11/01 14:37
		((text or string\$1 or ascii)near7 (icon\$1		
		or button\$1 or graphic\$4)) near5 select\$5		
		same (predefin\$\$ or predetermin\$4 or		
	_	preset\$4)		
34	0		USPAT	2004/11/01 14:38
		((text or string\$1 or ascii)near7 (icon\$1		
		or button\$1 or graphic\$4)) near5 select\$5 near8 (predefin\$\$ or predetermin\$4 or		
		preset\$4)		
35	_	network\$1 and (openview or snmp) and	USPAT	2004/11/01 14:38
33		((text or string\$1 or ascii)near7 (icon\$1	001111	2001,11,01 14.50
		or button\$1 or graphic\$4)) near5 select\$5		
		same (predefin\$\$ or predetermin\$4 or		
		preset\$4)		
36	1	network\$1 and (openview or snmp) and	USPAT	2004/11/01 14:44
		((text or string\$1 or ascii)near7 (icon\$1		
		or button\$1 or graphic\$4)) near15 select\$5		
		same (predefin\$\$ or predetermin\$4 or		
	_	preset\$4)		
37	0	"6760748" AND STRING\$1	USPAT	2004/11/01 14:45
38	0	"6760748" AND ASCII	USPAT	2004/11/01 14:45
39	0	"6760748" AND DESCRIPTOR	USPAT	2004/11/01 14:45
40	0	"6760748" AND ANNOTATOR	USPAT	2004/11/01 14:45
41		"6760748" AND TEXT	USPAT	2004/11/01 14:45

L Number	Hits	Search Text	DB	Time stamp
1	84	(snmp or openview or network adj	USPAT;	2004/11/01 13:39
	_	management) and select\$5 same ((text adj	US-PGPUB;	,
		strings or ascii) and (icon\$1 or	EPO; JPO;	
		graphic\$4))	DERWENT;	
2	56	(snmp or openview or network adj	IBM_TDB   USPAT;	2004/11/01 13:43
2	] 36	management) and select\$5 same ((text adj	US-PGPUB;	2004/11/01 15.45
		strings or ascii) and (icon\$1 or	EPO; JPO;	
		graphic\$4))same (display\$4 or visual\$9 or	DERWENT;	
		view\$3)	IBM_TDB	
3	3	(snmp or openview or network adj	USPAT;	2004/11/01 13:42
		management) and select\$5 near5 ((text adj strings or ascii) and (icon\$1 or	US-PGPUB; EPO; JPO;	
		graphic\$4))same (display\$4 or visual\$9 or	DERWENT;	
		view\$3)	IBM TDB	
4	84	(snmp or openview or network adj	USPĀT;	2004/11/01 13:43
		management) and select\$5 same ((text adj	US-PGPUB;	
		strings or ascii) and (icon\$1 or	EPO; JPO;	
		graphic\$4))and (display\$4 or visual\$9 or view\$3)	DERWENT;	
5	107	(snmp or openview or network adj	USPAT;	2004/11/01 13:44
-	]	management) and select\$5 same ((text adj	US-PGPUB;	,,,
		strings or ascii) and (icon\$1 or graphic\$4	EPO; JPO;	
] .		or button\$1))and (display\$4 or visual\$9 or	DERWENT;	
6	13	view\$3)	IBM_TDB USPAT;	2004/11/01 12-54
0	13	(snmp or openview or network adj   management)and select\$5 same ((text adj	USPAT; US-PGPUB;	2004/11/01 13:54
		strings or ascii) near10 (icon\$1 or	EPO; JPO;	
1		graphic\$4 or button\$1))and (display\$4 or	DERWENT;	
		visual\$9 or view\$3)	IBM_TDB	
7	9	(b	USPAT;	2004/11/01 13:59
		management) and select\$5 same ((text adj strings or ascii) near5 (icon\$1 or	US-PGPUB; EPO; JPO;	
		graphic\$4 or button\$1))and (display\$4 or	DERWENT;	
		visual\$9 or view\$3)	IBM TDB	
8	23	1, 1	USPĀT;	2004/11/01 14:01
		management) and ((ascii or text adj	US-PGPUB;	
		strings) near3 (icon\$1 or button\$1 or graphic\$4)) and (display\$4 or visual\$9 or	EPO; JPO;	
[		graphic\$4)) and (display\$4 or visual\$9 or view\$3)	DERWENT; IBM TDB	
9	0		USPAT;	2004/11/01 14:02
]		management) and ((ascii or text adj	US-PGPUB;	
		strings) near3 (icon\$1 or button\$1 or	EPO; JPO;	
		graphic\$4)) and (display\$4 or visual\$9 or view\$3)and 702/188	DERWENT; IBM TDB	
10	1	((ascii or text adj strings) near3	USPAT;	2004/11/01 14:02
-	_	(icon\$1 or button\$1 or graphic\$4)) and	US-PGPUB;	111, 22, 32 11.02
		(display\$4 or visual\$9 or view\$3)and	EPO; JPO;	
		702/188	DERWENT;	
11	634	((ascii or text adj strings) near3	IBM_TDB USPAT;	2004/11/01 14:03
**	034	(icon\$1 or button\$1 or graphic\$4)) and	US-PGPUB;	2004/11/01 14:03
		(display\$4 or visual\$9 or view\$3)	EPO; JPO;	
			DERWENT;	
12	4-		IBM_TDB	0004/11/01 11 15
12	45	select\$5 near4 ((ascii or text adj strings) near3 (icon\$1 or button\$1 or	USPAT; US-PGPUB;	2004/11/01 14:03
		graphic\$4)) and (display\$4 or visual\$9 or	EPO; JPO;	
		view\$3)	DERWENT;	
			IBM_TDB	
13	56	select\$5 near8 ((ascii or text adj	USPAT;	2004/11/01 14:10
		strings) near3 (icon\$1 or button\$1 or	US-PGPUB;	
	ì	graphic\$4)) and (display\$4 or visual\$9 or view\$3)	EPO; JPO; DERWENT;	
		· · · <b>· ·</b>	IBM TDB	
14	3	( F====================================	USPAT;	2004/11/01 14:09
]		select\$5 near4 ((ascii or text adj	US-PGPUB;	
]		strings) near3 (icon\$1 or button\$1 or	EPO; JPO;	
		graphic\$4)) and (display\$4 or visual\$9 or view\$3)	DERWENT; IBM TDB	
		1	100	